4306

650 ml Packo



Product part	Product code	Materials
Packo container	4306	HDPE

Capacity	ML	US Fluid ounces
Brimful	710	24.01
When closed	660	22.32

Hazardous material information	
Hazardous material type	Solids
Packaging group	I – II – III
UN marking	1H2/X0.9/Y1.3/Z1.9/S//NL/CURTEC-110503
Maximum gross mass (kg)	X=0.9 Y=1.3 Z=1.9



Weight	Grams	Ounces
Packo container	42.2	1.49

Weight tolerance

All products have a tolerance of ±4% of the initial weight mentioned on this data sheet

Dimensi	ional to	olerand	ce (mm	n) acco	rding t	o DIN1	6742-	TG7								
Over	1	>3	>6	>10	>18	>30	>50	>80	>120	>180	>250	>315	>400	>500	>630	>800
up to	3	6	10	18	30	50	80	120	180	250	315	400	500	630	800	1000
NW (±)	0.20	0.29	0.35	0.42	0.50	0.60	0.90	1.25	1.45	1.60	1.80	2.60	3.50	4.00	4.50	5.00

Standard color(s)	Color code	PMS references
Packo container*	White 004	/

* Other colors available on request

Product identification	
Manufacturer ID	Bottom
Product code	Bottom
Recycle logo / Material type	Bottom
Date clock	Bottom
UN-mark	Bottom
Food logo	Bottom
Material track clock	Bottom
CFR49-mark	

Other information	
he container can be opened and closed with just a quarter-turn	
Il compatible lids are equipped with integrated tear-off tamper evident seal	
/laximum filling temperature is 70°C/ 158°F	
ontents must have cooled to 30°C/ 86°F before containers can be closed and stacked	
oC available on request	
IN certificate available on request	
/VTR declaration available on request	
eak tightness declaration available on request (valid in combination with the 4371 lid)	
lser manual available on request	

DISCLAIMER

CurTec manufactures packaging material for a wide range of purposes. This declaration is restricted to the packaging material as it leaves the production facility. CurTec has neither control over final end use of the product nor over processing conditions. It is therefore the responsibility of the end user to check compliance with the relevant regulations and to validate material performance in the end application through proper end use testing.

© 2021 Property of CurTec International B.V. All rights explicitly reserved, it is not allowed to copy or communicate to other parties without written consent of CurTec.



