




Technical data sheet bucket | JETB 12 - Jokey Euro Tainer Box



basic data

Weight category	E
weight no handle	33,0 g
volume to rim	1,30 l
top load performance	¹ 9,0 kg

dimensions

D1	132,0 mm
D2	122,0 mm
D3	105,0 mm
H without lid	131,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 5 %

Possible combinations


handle	Description	weight
	belt handle	2,0 g
	no handle	+

lid	Type	Description	stacking height two fold:	each further:
	standard	DETB 130	255,0 mm	123,0 mm
	sealing lid	FDETB 130	266,0 mm	132,5 mm

decoration	Method of decoration	height:	width:	median breadth:
	Digital	90,0 mm	343,0 mm	353,0 mm
	IML	113,30 mm	358,98 mm	
	Offset	0,0 mm	0,0 mm	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5'')
Length	120 cm (47,24'')
Height	1,20 m
Quantity per pallet	2400
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

¹ For standard lids at 20°C on the lowest container



basic data

Weight category	E
weight	9,0 g
displaced volume	0,10 l

dimensions

D1	130,5 mm
H	9,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	92,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	E
weight	9,5 g
displaced volume	0,00 l

dimensions

D1	131,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	C
weight	7,2 g
displaced volume	0,10 l

dimensions

D1	130,5 mm
H	9,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	92,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	C
weight	7,5 g
displaced volume	0,00 l

dimensions

D1	131,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	G
weight	11,0 g
displaced volume	0,10 l

dimensions

D1	130,5 mm
H	9,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	92,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	F
weight	10,0 g
displaced volume	0,10 l

dimensions

D1	130,5 mm
H	9,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	92,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	D
weight	8,0 g
displaced volume	0,10 l

dimensions

D1	130,5 mm
H	9,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	92,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	F
weight	10,0 g
displaced volume	0,00 l

dimensions

D1	131,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



basic data

Weight category	G
weight	11,5 g
displaced volume	0,00 l

dimensions

D1	131,0 mm
H	12,0 mm

tolerances

dimensions	± 1 mm
Weight tolerance	± 10 %

Possible combinations

bucket




decoration

Method of decoration	Diameter
IML	120,00 mm
Offset	0,0 mm

Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	54



material

Description	Labelling	Recyclingcode
100% Virgin material		



misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.