


# Technical data sheet bucket | JETS 250 - Jokey Euro Tainer shell







basic data		dimensions		tolerances	
Weight category	С	DI	85,5 x 110,5 mm/inch	dimensions	±1mm/in
weight no handle	9,5 g	D2	82,0 x 107,0 mm/inch	Weight tolerance	± 10 %
volume to rim	0,27	D3	76,0 x 101,0 mm/inch		
top load performance	<sup>1</sup> 2,8 kg	H without lid	37,0 mm/inch		

# **Possible combinations**

handle	Description	weig	ght	
	no handle	+		
lid	Туре	Description	stacking height two fold	d: each further:
	standard	DETS 250	72,0 mm/inch	38,0 mm/inch
decoration	Method of decoration	height:	width:	median breadth:
	Digital	0,0 mm/inch	0,0 mm/inch	0,0 mm/inch
	IML	0,00 mm/inch	0,00 mm/inch	
	Offset	0,0 mm/inch	0,0 mm/inch	0,0 mm/inch

# Logistics (standard view)

Pallet	EUP (Europallet)
Width	80 cm (31,5´´)
Length	120 cm (47,24´´)
Height	2,20 m
Quantity per pallet	19200
Quantity per layer	96

### material

Description	Labelling	Recyclingcode	
100% Virgin material	Rï	<u>ک</u>	

#### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



E 5,0 g 0,02 l ns TS 150 JETS 18	D1 H 0 JETS 250	84,6 x 109,6 mm/inch 4,3 mm/inch <b>JETS 300</b>	dimensions Weight tolerance	± 1 mm/ind ± 15 %
0,02 l			Weight tolerance	± 15 %
ns	0 JETS 250	JETS 300		
	0 JETS 250	JETS 300		
rs 150 JETS 18	0 JETS 250	JETS 300		
IS 150 JETS 18	0 JETS 250	JETS 300		
e				
Method of decoration	on height:	width:		
IML	103,92 mm/inch	78,50 mm/inch		
Offset	0,0 mm/inch			
• <b>)</b>				
lew)				
EUP (Europallet)				
80 cm (31,5´´)				
120 cm (45	7,24´´)			
2,20 m				
57600				
0				
Labelling	Recycli	ngcode	maara a	-
5	27	253 PP		
	IML Offset iew) EUP (Euro 80 cm (31, 120 cm (4' 2,20 m 57600 0	IML 103,92 mm/inch   Offset 0,0 mm/inch   iew) EUP (Europallet)   80 cm (31,5 ´ ') 120 cm (47,24 ´ ')   2,20 m 57600   0 0	IML 103,92 mm/inch 78,50 mm/inch   Offset 0,0 mm/inch iew)   EUP (Europallet) 80 cm (31,5 ´ `) 120 cm (47,24 ´ `)   2,20 m 57600 0   0 0 0	IML 103,92 mm/inch 78,50 mm/inch   Offset 0,0 mm/inch   iew) EUP (Europallet)   80 cm (31,5 ´ `) 120 cm (47,24 ´ `)   2,20 m 57600   0 0

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.